



SIZE	ACTUATOR	DIMENSIONS (INCHES)										
		A	B	C	D	F	G	H	J	K		
1/2"	UF-0-DA	4.25	6.77	5.5	2.8	1.34	2.00	3.17	0.79	1.6		
	UF-1-SR		7.20	6.4	3.2			2.74	0.79	1.6		
3/4"	UF-0-DA	4.62	6.84	5.5	2.8	1.31	2.00	3.17	0.79	1.6		
	UF-1-SR		7.27	6.4	3.2			2.74	0.79	1.6		
1"	UF-0-DA	5.00	7.08	5.5	2.8	1.55	2.00	3.62	0.79	1.6		
	UF-3-SR		8.16	6.2	3.7			3.17	0.79	1.6		
1 1/4"	UF-1-DA	5.50	7.41	6.4	3.2	1.45	2.00	4.27	0.79	2.1		
	UF-3-SR		8.51	6.4	4.2			3.62	0.79	2.1		
1 1/2"	UF-3-DA	6.50	8.28	6.2	3.7	1.68	2.00	4.78	0.79	2.7		
	UF-3-SR		9.25	10.7	4.8			3.62	0.79	2.1		
2"	UF-3-DA	7.00	8.44	6.2	3.7	1.83	2.00	5.57	1.18	2.9		
	UF-3-SR		10.08	12.9	5.4			5.57	0.79	2.9		
2 1/2"	UF-3-DA	7.50	10.86	12.9	5.4	2.30	2.00	7.40	1.18	3.9		
	UF-5-SR		12.88	20.6	7.4			6.04	1.18	3.2		
3"	UF-4-DA	8.00	11.82	14.4	5.8	2.70	2.00	9.41	1.18	4.3		
	UF-6-SR		15.28	22.6	8.6			7.40	1.18	3.9		
4"	UF-5-DA	9.00	14.02	26.6	7.4	3.44	2.00	9.41	1.18	4.3		
	UF-6-SR		16.03	22.6	8.6			9.41	1.18	4.3		

⚠ DIFF. PRESSURE ACROSS VALVE=1000PSI

SEAT MATERIAL=PTFE

CUSTOMER ORDER # \_\_\_\_\_  
 CUSTOMER \_\_\_\_\_  
 TAG No. \_\_\_\_\_  
 SIZE & MODEL # 1/2"-4" STD. PORT SER. 3000  
 W/OUT INTRM STYLE ACT. #150 FE. #800PSI PRL  
 CERTIFIED \_\_\_\_\_ DATE \_\_\_\_\_



DA BY DW MWH  
 CHECKY MD03135